CITY COMMUTER LITE EDITION

(\$2,295.00 to \$2,795.00)

The Lite Edition proves that sometimes less is more. It has veverything you need, and nothing you don't – all for an



FRAME OPTIONS AND COLORS STEP-THRU 26" Black STEP-THRU 28" Black CLASSIC 28" Black TIRE / WHEEL OPTIONS Black Balloon BATTERY OPTIONS

36v 10ah36v 15ah

Notes

When you buy a Pedego, you're investing in:



The *peace of mind* of an industry leading five year warranty



Smart design and exceptional *quality that lasts*



Friendly customer care that goes the extra mile



KEY FEATURES



MADE FOR YOU

The first thing you notice when you ride a Lite Edition is how comfortable you feel. You'll swear it was made just for you – because it was!

USER-FRIENDLY

The Lite Edition is fully loaded with userfriendly features that make riding even more fun. We thought of everything!





BREATHTAKING PERFORMANCE

- A whisper quiet, 500 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.

- A state-of-the-art 36 Volt battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 45 miles on about 10 cents worth of electricity.



SMALL DETAILS MAKE A BIG DIFFERENCE



1. Comfort & Style Traditional frame geometry and timeless style.



4. Rear Light

Built-in and rear light for your safety and convenience.



2. City-Style Handlebars City-style handlebars feel natural and familiar.



5. Quality Components

Disk brakes, seven gears, sturdy kickstand, heavy-duty spokes, and more.



3. Comfy Seat Soft saddle provides cushioning where it matters the most.





6. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



SPECIFICATIONS

Electronics

MOTOR	SILVER 36V BRUSHLESS GEARED REAR HUB MOTOR; 500 WATT NOMINAL POWER RATING; 35NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION.
BATTERY	36 VOLT 10 OR 15 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS.
CHARGER	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
CONTROLLER	36 VOLT 18 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
THROTTLE	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTION.
TOP SPEED	20 MPH WITH MOTOR ASSISTANCE ONLY.
PEDALSENSE®	FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE.
DISPLAY	2.5" BACKLIT LCD SCREEN; 3 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE

Drivetrain

DERAILLEUR	SHIMANO ACERA RD-M360 7-SPEED, FULL METAL CONSTRUCTION AND TEFLON COATED BUSHINGS.
CASSETTE	SHIMANO HYPERGLIDE HG20 7 SPEED 12-32T; SMOOTH, LIGHT AND RELIABLE SHIFTING PERFORMANCE.
SHIFTER	SHIMANO FT55 TOURNEY RIGHT HAND THUMB SHIFTER WITH EASY TO READ GEAR DISPLAY.
BOTTOM BRACKET	68MM x 137MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
CHAIN	SHIMANO HG40 1/2"x3/32" 116-120 LINKS WITH INNER PLATE CHAMFERING.
CRANK	SILVER 3 PIECE CRANK WITH 5x130MM BCD 3/32" 46T CHAINRING AND INTEGRATED CHAINGUARD; 175MM FORGED ALUMINUM CRANK ARMS.
PEDALS	SILVER PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.



SPECIFICATIONS

Brakes

CALIPERS	SHIMANO BR-M375 MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; 5MM HEX INBOARD PAD ADJUSTMENT; INTEGRATED CABLE STOP WITH BARREL ADJUSTER.
LEVERS	TEKTRO ERGONOMIC LEVER WITH RUBBER FINGER PADDING; INTEGRATED LEFT HAND BELL; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.
PADS	SHIMANO RESIN WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC BRAKE PERFORMANCE.
ROTORS	SHIMANO SM-RT26; 180MM DIAMETER; ANTI LOOSENING WASHERS FOR QUICK AND SECURE ASSEMBLY; DESIGNED FOR RESIN PADS.

Components

FRAME	6061-T6 ALUMINUM ALLOY; INTEGRATED REINFORCED REAR RACK FOR BATTERY AND STOR- AGE; INTERNAL CABLE AND WIRE ROUTING.
FORK	RIGID CHROMOLY STEEL; 1 1/8" THREADED STEERER TUBE; DISC BRAKE AND FENDER MOUNTS.
HEADSET	ZERO STACK SEMI-INTEGRATED 1 1/8" THREADED; ZS44/28.6-26TPI ZS44/30.
SEATPOST	SILVER 28.6MM x 300MM ALUMINIUM ALLOY RIGID SEATPOST.
SADDLE	STANDARD: CRUISER STYLE SADDLE; OPTIONAL: EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM; REAR FACING PEDEGO LOGO; 265MM L x 265MM W.
RIMS	EXTRA STRENGTH DOUBLE WALL LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE.
SPOKES	BLACK 12 GAUGE HEAVY DUTY STAINLESS STEEL SPOKES WITH BRASS NIPPLES.
GRIPS	STANDARD: BLACK WEAR RESISTANT PEDEGO GRIPS.
HANDLEBAR	BLACK ERGONOMIC CITY STYLE; ALUMINUM ALLOY; 25.4MM CLAMP DIAMETER; 650MM WIDTH.
STEM	SILVER ALUMINUM QUILL STYLE; 100MM LENGTH; 30 DEGREE RISE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 ½" (28.6MM) THREADED STEERER TUBE.
TIRES	KENDA BLACK WALL 26" x 1.95" OR 28" x 1.75 "; PUNCTURE RESISTANT CASING; REFLECTIVE SIDEWALL; SLIME INNER TUBE SEALANT; SCHRADER VALVE.



SPECIFICATIONS

Extras

LIGHTS	REAR: LED BUILT INTO BATTERY; POWERED AND CONTROLLED BY MAIN BATTERY VIA PUSH BUTTON.
KICKSTAND	BLACK ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.
TOOL KIT	CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.
FENDERS	OPTIONAL UPGRADE: COLOR MATCHED STEEL FULL LENGTH FENDERS WITH INTEGRATED MUD FLAPS; STAINLESS STEEL STAYS.

Weight

BIKE (NO BATTERY) STEP THRU 26": 52 LB; STEP THRU 28": 55.2 LB; CLASSIC 28": 55.8 LB.


BATTERY

36V/15Ah: 7.6 LB; 36V/10Ah: 7 LB.

*Specifications subject to change. All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.

DIMENSIONS


City Commuter Step-Thru 26"






DIMENSIONS

City Commuter Step-Thru 28"



City Commuter Classic 28"



- **REAR HEIGHT** 33" (838mm)
- 2 HANDLEBAR WIDTH 26" (660mm)
- **3** SEAT TUBE TO HANDSET 22" (559mm)
- SEAT CLAMP TO CRANK 17" (432mm)
- 5 SEAT CLAMP TO GROUND 29" (736mm)
- 6 AXLE TO AXLE 44.5" (1130mm)
- **74**" (1880mm)

- REAR HEIGHT 33" (838mm)
- 2 HANDLEBAR WIDTH 26" (660mm)
- **3** SEAT TUBE TO HANDSET 24" (610mm)
- SEAT CLAMP TO CRANK 18" (457mm)
- **5** SEAT CLAMP TO GROUND **30**" (762mm)
- 6 AXLE TO AXLE 47" (1194mm)
- **END TO END**75" (1905mm)

